

IEEE TRANSACTIONS ON POWER DELIVERY



IEEE POWER & ENERGY SOCIETY

DECEMBER 2018

VOLUME 33

NUMBER 6

ITPDE5

(ISSN 0885-8977)

REGULAR PAPERS

Improvement of the Insulation System of Unconventional Combined Instrument Transformer Using 3-D Electric-Field Analysis	<i>E. E. Lesniewska and J. Olak</i>	2582
A Hybrid Control Strategy to Support Voltage in Industrial Active Distribution Networks	<i>C. Li, X. Liu, K. Sun, Y. Cao, F. Ma, and B. Zhou</i>	2590
Design and Performance Analysis of Single-Phase Pre-Saturated Core Fault Current Limiters	<i>M. Eladawy and I. A. Metwally</i>	2603
A New Wide-Area Protection Scheme for Single- and Double-Circuit Lines Using 3-D-Phase Surface	<i>M. M. Eissa</i>	2613
A Modified Bridge Switch-Type Flux-Coupling Nonsuperconducting Fault Current Limiter for Suppression of Fault Transients	<i>H.-T. Tseng, W.-Z. Jiang, and J.-S. Lai</i>	2624
Time-Domain Differential Protection Method Applied to Transmission Lines	<i>D. T. Dantas, E. L. Pellini, and G. Manassero Jr.</i>	2634
On Particle Filtering for Power Transformer Remaining Useful Life Estimation	<i>S. Li, H. Ma, T. K. Saha, Y. Yang, and G. Wu</i>	2643
Generalized Formulation of Earth-Return Impedance/Admittance and Surge Analysis on Underground Cables	<i>H. Xue, A. Ametani, J. Mahseredjian, and I. Kocar</i>	2654
Effects of Electromagnetic Interference on Underground Pipelines Caused by the Operation of High Voltage AC Traction Systems: The Impact of Harmonics	<i>C. A. Charalambous, A. Demetriou, A. L. Lazari, and A. I. Nikolaidis</i>	2664
Modeling and Application of Hybrid Power Flow Controller in Distribution Systems	<i>B. Tamimi and C. A. Cañizares</i>	2673
Study on Constraints for Harmonic Source Determination Using Active Power Direction	<i>F. Xu, H. Yang, J. Zhao, Z. Wang, and Y. Liu</i>	2683
Is Transformer kVA Derating Always Required Under Harmonics? A Manufacturer's Perspective	<i>B. P. Das and Z. Radakovic</i>	2693
Circuit Level Model of Miniature Circuit Breakers	<i>F. Bizzarri, A. M. Brambilla, L. Ghezzi, and F. Rigamonti</i>	2700
Closed-Form Determination of the Impedance Locus Plot of Fault Current Limiters: A Rigorous Approach With Graphical Representation	<i>S. Behzadirafti and F. de León</i>	2710
A New Maximum Step Voltage Calculation Method of On-Load Tap-Changer for Symmetrical Two-Core Phase-Shifting Transformer	<i>G. Liang, L. Wang, F. Gao, and X. Liu</i>	2718
An Ultra-High-Speed Directional Relay Based on Correlation of Incremental Quantities	<i>A. Lei, X. Dong, and V. Terzija</i>	2726

(Contents Continued on Page 2579)



Distance Protection During Asymmetrical Power Swings: Challenges and Solutions	2736
..... <i>S. M. Hashemi and M. Sanaye-Pasand</i>	
Pole-Selective Residue Perturbation Technique for Passivity Enforcement of FDNEs	2746
..... <i>J. Morales, J. Mahseredjian, K. Sheshyekani, A. Ramirez, E. Medina, and I. Kocar</i>	
The Setting Map Methodology for Adjusting the DG Anti-Islanding Protection Considering Multiple Events	2755
..... <i>D. Motter and J. C. de Melo Vieira</i>	
Statistical Analysis of Energization Overvoltages in EHV Hybrid OHL–Cable Systems	2765
..... <i>H. Khalilnezhad, M. Popov, L. van der Sluis, J. A. Bos, and A. Ametani</i>	
An Online Travelling Wave Fault Location Method for Unearthed-Operated High-Voltage Overhead Line Grids	2776
..... <i>R. Benato, S. D. Sessa, M. Poli, C. Quaciari, and G. Rinzo</i>	
Multiphysics Modeling for Transient Analysis of Gas-Insulated Lines	2786
..... <i>D. I. Doukas, T. A. Papadopoulos, A. I. Chrysochos, D. P. Labridis, and G. K. Papagiannis</i>	
A Robust Transform-Domain Deep Convolutional Network for Voltage Dip Classification	2794
..... <i>A. Bagheri, I. Y. H. Gu, M. H. J. Bollen, and E. Balouji</i>	
Hilbert Huang Transform Based Online Differential Relay Algorithm for a Shunt-Compensated Transmission Line	2803
..... <i>S. Biswal, M. Biswal, and O. P. Malik</i>	
Influence of Contact Plate Parameters and Eddy Currents on Residual Flux Decay in AMF-Type Vacuum Interrupters	2812
..... <i>R. Bhat and S. V. Kulkarni</i>	
A Relationship Between Minimum Arcing Interrupting Capability and Opening Velocity of Vacuum Interrupters in Short-Circuit Current Interruption	2822
..... <i>B. Zhang, L. Ren, J. Ding, J. Wang, Z. Liu, Y. Geng, and S. Yanabu</i>	
Simplified Formulae Method for Estimating Wind Turbine Generators Ground Resistance	2829
..... <i>G. P. Kondylis, K. D. Damianaki, V. P. Androvitsaneas, and I. F. Gonos</i>	
A Semi-Analytical Method to Evaluate Lightning-Induced Overvoltages on Overhead Lines Using the Matrix Pencil Method	2837
..... <i>J. Guo, Y.-Z. Xie, and F. Rachidi</i>	
Adaptive Static Line Rating for Systems With HTLS Conductors	2849
..... <i>I. Albizu, E. Fernández, R. Alberdi, M. T. Bedialauneta, and A. J. Mazón</i>	
Fully Coupled Finite Element Analysis for Ion Flow Field Under HVDC Transmission Lines Employing Field Enhancement Factor	2856
..... <i>Y. Park, R. K. Jha, C. Park, S.-B. Rhee, J.-H. Lee, C.-G. Park, and S.-H. Lee</i>	
On Full-Bridge Bipolar MMC-HVDC Control and Protection for Transient Fault and Interaction Studies	2864
..... <i>S. Wenig, M. Goertz, C. Hirsching, M. Suriyah, and T. Leibfried</i>	
A New Fault Detection Method for Single-Phase Autoreclosing	2874
..... <i>L. M. N. de Mattos, M. C. Tavares, and A. M. P. Mendes</i>	
Simulation of Switching Overvoltages and Validation With Field Tests	2884
..... <i>M. Cervantes, I. Kocar, A. Montenegro, D. Goldsworthy, T. Tobin, J. Mahseredjian, R. Ramos, J. Marti, T. Noda, A. Ametani, and C. Martin</i>	
Emergency-Temperature Testing on MV Jacketed Reduced-Wall TRXLPE Aluminum Cable Systems in Duct Bank	2894
..... <i>C. Dang, J. Côté, and J. Tarnowski</i>	
DFT-Based Phasor Estimation for Removal of the Effect of Multiple DC Components	2901
..... <i>J. K. Hwang, C. K. Song, and M. G. Jeong</i>	
Experimental Validation of Three-Dimension Multiconductor Cell Analysis by a 30 km Submarine Three-Core Armoured Cable	2910
..... <i>R. Benato, S. D. Sessa, and M. Forzan</i>	
Novel Moving Average Filter for Detecting RMS Voltage Step Changes in Triggerless PQ Data	2920
..... <i>A. F. Bastos, K.-W. Lao, G. Todeschini, and S. Santoso</i>	
An Additional Criterion for Faulty Feeder Selection During Ground Faults in Compensated Distribution Networks	2930
..... <i>K. Pandakov, H. K. Høidalen, and S. Trætteberg</i>	
Remanent Flux Negative Effects on Transformer Diagnostic Test Results and a Novel Approach for Its Elimination	2938
..... <i>Y. Z. Gerdroodbari, M. Davarpanah, and S. Farhangi</i>	
Time Series Power Flow Framework for the Analysis of FIDVR Using Linear Regression	2946
..... <i>W. Wang, M. Diaz-Aguiló, K. B. Mak, F. de León, D. Czarkowski, and R. E. Uosef</i>	
A Damping Factor-Based White-Box Transformer Model for Network Studies	2956
..... <i>B. Gustavsen and Á. Portillo</i>	
A Wavelet-Based Transformer Differential Protection: Internal Fault Detection During Inrush Conditions	2965
..... <i>R. P. Medeiros and F. B. Costa</i>	
Functional Mock-Up Interface-Based Approach for Parallel and Multistep Simulation of Electromagnetic Transients	2978
..... <i>M. Cai, H. Gras, J. Mahseredjian, E. Rutovic, and A. El-Akoum</i>	

Probabilistic Harmonic Resonance Assessment Considering Power System Uncertainties	2989
. <i>Z. Li, H. Hu, Y. Wang, L. Tang, Z. He, and S. Gao</i>	
Influence of Placement of Overhead Ground Wires on Steady State Induction in AC-DC Hybrid Transmission Corridor	2999
. <i>M. Asif, H.-Y. Lee, K.-H. Park, and B.-W. Lee</i>	
Analysis of Extruded HVDC Cable Systems Exposed to Lightning Strokes	3009
. <i>M. Goertz, S. Wenig, C. Hirsching, M. Kahl, M. Suriyah, and T. Leibfried</i>	
Detection of Power Swing and Fault During Power Swing Using Lissajous Figure	3019
. <i>B. Patel and P. Bera</i>	
Flicker Limit Compliance Assessment in the Presence of Background Disturbances	3028
. <i>D. L. Geiger II and S. M. Halpin</i>	
Research of Large-Capacity Low-Cost DC Deicer With Reactive Power Compensation	3036
. <i>J. Lu, C. Wu, Y. Tan, S. Zhu, and Y. Sun</i>	
Distributed Traveling-Wave-Based Fault-Location Algorithm Embedded in Multiterminal Transmission Lines	3045
. <i>J. Ding, X. Wang, Y. Zheng, and L. Li</i>	
An FDTD Thin-Wire Model for Lossy Wire Structures With Noncircular Cross Section	3055
. <i>B. Li, Y. Du, and M. Chen</i>	
Evaluation of High-Frequency Circuit Models for Horizontal and Vertical Grounding Electrodes	3065
. <i>L. D. Grcev, A. Kuhar, V. Arnautovski-Toseva, and B. Markovski</i>	
Coded Switching Scheme for Monitoring the Operation of Distribution Capacitors	3075
. <i>J. Liang and K. Zhu</i>	
Research on Multiterminal Current Differential Protection Criterion With High Sensitivity and Synchronization Error Tolerance Capability	3085
. <i>N. Jin, X. Lin, J. Xing, Z. Li, S. Liu, L. Chen, X. Ma, Z. Rong, and N. Tong</i>	
A System-Wide Protection Against Unstable SSCI in Series-Compensated Wind Power Systems	3095
. <i>X. Xie, W. Liu, H. Liu, Y. Du, and Y. Li</i>	
Several Sufficient Conditions for Harmonic Source Identification in Power Systems	3105
. <i>B. Wang, G. Ma, J. Xiong, H. Zhang, L. Zhang, and Z. Li</i>	
Reducing the Number of Tests Cases for Reliability Assessment of Protective Relays	3114
. <i>J. R. S. Souza, C. Pereira, and A. De Conti</i>	
Cyclic Loading of Underground Cables Including the Variations of Backfill Soil Thermal Resistivity and Specific Heat With Temperature Variation	3122
. <i>O. E.-S. Gouda, G. F. A. Osman, W. A. A. Salem, and S. H. Arafa</i>	
High-Speed Decision Tree Based Series-Compensated Transmission Lines Protection Using Differential Phase Angle of Superimposed Current	3130
. <i>M. M. Taheri, H. Seyedi, M. Nojavan, M. Khoshbouy, and B. M. Ivatloo</i>	
Reliability Analysis of Low-Voltage Metal-Oxide Surge Arresters Using Accelerated Failure Time Model	3139
. <i>P. Bokoro and W. Doorsamy</i>	
Electric Field Reduction in an EHV Substation for Occupational Exposure via Transposition of Conductors	3147
. <i>D. Harimurugan and G. S. Punekar</i>	
Increasing the Internal Field Strength of Vacuum Interrupters With Vapor Shield Potential Control	3155
. <i>Y. Nakano, B. Surges, and V. Hinrichsen</i>	
Voltage Sag Estimation in Sparsely Monitored Power Systems Based on Deep Learning and System Area Mapping	3162
. <i>H. Liao, J. V. Milanović, M. Rodrigues, and A. Shenfield</i>	
Single Line to Ground Fault Detection in a Non-Effectively Grounded Distribution Network	3173
. <i>X. Wang, J. Gao, X. Wei, Z. Zeng, Y. Wei, and M. Kheshti</i>	
Study on the Effect of Altitude on the Corona Inception Field and the Ground-Level Total Electric Field Under HVdc Lines Using Bipolar Test Lines	3187
. <i>L. Zhao, J. Lu, L. Xie, X. Cui, and Y. Ju</i>	
Two-Zone Geological Soil Moisture Migration Model for Cable Thermal Rating	3196
. <i>H. Lu, F. de León, D. N. Soni, and W. Wang</i>	
Calculation of Leakage Reactance in Transformers With Constructive Deformations in Low Voltage Foil Windings	3205
. <i>G. A. Diaz F., E. E. Mombello, and G. D. G. Venerdini</i>	
Breakdown Characteristics of a 220-kV Composite Insulator String Under Short Tail Lightning Impulses Based on the Discharge Current and Images	3211
. <i>X. Zhao, G. Liu, L. Jia, H. Cai, B. Luo, Y. Zhang, H. Chen, and J. He</i>	

POWER ENGINEERING LETTERS

Voltage Regulation in Private Environment: Opportunity or Threat	3218
. <i>S. Gharebaghi and A. Safdarian</i>	
On the Applicability of Exponential Recovery Models for the Simulation of Active Distribution Networks	3220
. <i>E. O. Kontis, T. A. Papadopoulos, A. I. Chrysochos, and G. K. Papagiannis</i>	

Feature Selection for Effective Health Index Diagnoses of Power Transformers	3223
. <i>K. Benhmed, A. Mooman, A. Younes, K. Shaban, and A. El-Hag</i>	
Effects of Transformer-Oil Temperature on Amplitude and Peak Frequency of Partial Discharge Acoustic Signals	3227
. <i>T. B. Shanker, H. N. Nagamani, D. Antony, and G. S. Punekar</i>	
Design Tradeoffs in Selection of the DC-Side Voltage for a D-STATCOM	3230
. <i>S. Ziaeinejad and A. Mehrizi-Sani</i>	
Assessing Gaussian Assumption of PMU Measurement Error Using Field Data	3233
. <i>S. Wang, J. Zhao, Z. Huang, and R. Diao</i>	
A Partial Discharge Detection Method for SF ₆ Insulated Inverted Current Transformers Adopting Inner Shield Case as UHF Sensor	3237
. <i>J. Li, X. Zhang, X. Han, and X. Yao</i>	
Traveling Wave-Based Solutions for Transmission Line Two-Terminal Data Time Synchronization	3240
. <i>F. V. Lopes and E. J. S. Leite Jr.</i>	
Improved DFT-Based Phasor Estimation Algorithm Using Down-Sampling	3242
. <i>B. Jafarpisheh, S. M. Madani, and S. Jafarpisheh</i>	
Partitioned Fitting and DC Correction for the Simulation of Electromagnetic Transients in Transmission Lines/Cables	3246
. <i>M. Cervantes, I. Kocar, J. Mahseredjian, and A. Ramirez</i>	
A Synchrophasor-Based Fault Location Method for Three-Terminal Hybrid Transmission Lines With One Off-Service Line Branch	3249
. <i>Y.-J. Lee, C.-H. Chao, T.-C. Lin, and C.-W. Liu</i>	
Precise Fault Location on Transmission Lines Using Ensemble Kalman Filter	3252
. <i>R. Fan, Y. Liu, R. Huang, R. Diao, and S. Wang</i>	
Switching Control of GSC of DFIGWTs for Disturbance Rejection Based on Bang–Bang Control	3256
. <i>Y. Liu, K. Xiahou, L. Wang, and Q. H. Wu</i>	
Revisions on Alpha Plane for Enhanced Sensitivity of Line Differential Protection	3260
. <i>M. Hossain, I. Leevongwat, and P. Rastgoufard</i>	
Uses and Misuses of Quasi-Static Time-Varying Phasor Models in Power Systems	3263
. <i>J. Belikov and Y. Levron</i>	

CORRECTIONS

Corrections to “A Coherency-Based Equivalence Method for MMC Inverters Using Virtual Synchronous Generator Control”	3267
. <i>C. Li, J. Xu, and C. Zhao</i>	

2018 INDEX	Available online at http://ieeexplore.ieee.org
----------------------	---
